



Cherry Forest Products

MANUFACTURERS OF HIGH-GRADE LUMBER, VENEER AND DIMENSION

KERR INDUSTRIAL PARK, HWY. 401 & 6 INT., R.R.# 3, GUELPH, ON, N1H 6H9

PH: (519) 763-1466

FAX: (519) 763-7353

EMAIL: info@cherryforest.ca

Website: www.cherryforest.ca

LUMBER INVENTORY UPDATE -

March 1, 2010

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
3.5" - 3.9" HARD MAPLE	995	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	995
4.0" - 4.4" HARD MAPLE		(6' - 8')		(9'-10')		(11' -12')		(13' -16')	
4.5" - 4.9" HARD MAPLE	2487	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	2487
5.0" - 5.4" HARD MAPLE		(6' - 8')		(9'-10')		(11' -12')		(13' -16')	
5.5" - 5.9" HARD MAPLE	2180	(6' - 8')		(9'-10')	1785	(11' -12')		(13' -16')	3965
6.0" - 6.4" HARD MAPLE		(6' - 8')		(9'-10')	1238	(11' -12')		(13' -16')	1238
6.5" - 6.9" HARD MAPLE		(6' - 8')		(9'-10')	1082	(11' -12')		(13' -16')	1082
7.5" - 7.9" HARD MAPLE	645	(6' - 8')		(9'-10')	988	(11' -12')		(13' -16')	1633
8.0" - 8.4" HARD MAPLE	692	(6' - 8')		(9'-10')	1029	(11' -12')		(13' -16')	1721
8.0" - 9.4" HARD MAPLE		(6' - 8')		(9'-10')	1766	(11' -12')		(13' -16')	1766
8.5" - 10.4" HARD MAPLE		(6' - 8')		(9'-10')	1247	(11' -12')		(13' -16')	1247
9.5" & 10.4" HARD MAPLE		(6' - 8')	365	(9'-10')	328	(11' -12')		(13' -16')	693
10.5" - 11.4" HARD MAPLE		(6' - 8')	379	(9'-10')	174	(11' -12')		(13' -16')	553
11.5" & WIDER HARD MAPLE		(6' - 8')	2003	(9'-10')	128	(11' -12')		(13' -16')	2131
4/4 S & B 5.5"-5.9" #1 WHT HARD MAPLE	4360	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	4360
4/4 S & B 6.5"-6.9" #1 WHT HARD MAPLE	2888	(6' - 8')	1631	(9'-10')	941	(11' -12')		(13' -16')	5460
4/4 S & B 6.9"-7.9" #1 WHT HARD MAPLE	1624	(6' - 8')	2981	(9'-10')	796	(11' -12')		(13' -16')	5401
4/4 S & B 6.9"-8.4" #1 WHT HARD MAPLE	1021	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	1021
4/4 S & B 7.5"-7.9" #1 WHT HARD MAPLE		(6' - 8')		(9'-10')	415	(11' -12')		(13' -16')	415
4/4 S & B UNSL HARD MAPLE		(6' - 8')	3501	(9'-10')	1385	(11' -12')		(13' -16')	4886
4/4 S & B UNSL 6.0"-8.4" HARD MAPLE	537	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	537
4/4 1C 1+2 WHT HARD MAPLE	2856	(6' - 8')		(9'-10')		(11' -12')	6374	(13' -16')	9230
4/4 1C 5.5"-6.4" 1+2 WHT HARD MAPLE	123	(6' - 8')	3270	(9'-10')		(11' -12')		(13' -16')	3393
4/4 1C SAP / BTR HARD MAPLE	1482	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	1482

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
4/4 1C 5.5"-6.4" SAP/BTR HARD MAPLE	2637	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	2637
4/4 1C 6.5"-7.4" SAP/BTR HARD MAPLE	2391	(6' - 8')	395	(9'-10')		(11' -12')		(13' -16')	2786
5/4 SEL & BTR, 1+2 WHT HARD MAPLE	663	(6' - 8')	548	(9'-10')		(11' -12')		(13' -16')	1211
5/4 SBT 1C SAP HARD MAPLE		(6' - 8')	70	(9'-10')		(11' -12')		(13' -16')	70
5/4 1C SAP/BRN HARD MAPLE	62	(6' - 8')	71	(9'-10')		(11' -12')		(13' -16')	133
5/4 2/3 COM. UNSEL HARD MAPLE	145	(6' - 8')	203	(9'-10')	210	(11' -12')		(13' -16')	558
6/4 S & B #1 WHT HARD MAPLE	997	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	997
6/4 5.5"& WDR #1+2 WHT HARD MAPLE		(6' - 8')		(9'-10')	528	(11' -12')		(13' -16')	528
6/4 2 COM. HARD MAPLE	167	(6' - 8')	408	(9'-10')		(11' -12')		(13' -16')	575
8/4 S & B 6.5"-7.4" #1 WHT HARD MAPLE		(6' - 8')	1128	(9'-10')		(11' -12')		(13' -16')	1128
8/4 S & B 7.5"-8.4" #1 WHT HARD MAPLE		(6' - 8')	1060	(9'-10')		(11' -12')		(13' -16')	1060
8/4 SEL & BTR S2W HARD MAPLE		(6' - 8')	772	(9'-10')		(11' -12')		(13' -16')	772
8/4 1C 1+2 WHITE HARD MAPLE		(6' - 8')	91	(9'-10')		(11' -12')		(13' -16')	91
8/4 S & B 4.0" & WDR 1+2 WHITE ASH	142	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	142
8/4 S & B UNSL ASH		(6' - 8')	1178	(9'-10')		(11' -12')		(13' -16')	1178
8/4 S & B UNSL 4.0"&WDR ASH	1838	(6' - 8')	4665	(9'-10')	3914	(11' -12')		(13' -16')	10417
8/4 1 COM. ASH	249	(6' - 8')	703	(9'-10')	403	(11' -12')	407	(13' -16')	1762
8/4 2 COM. ASH		(6' - 8')	212	(9'-10')	230	(11' -12')		(13' -16')	442
5/4 # 1 COMMON ASH	302	(6' - 8')	465	(9'-10')	170	(11' -12')		(13' -16')	937
4/4 4.5"-4.9" W1F ASH		(6' - 8')	1200	(9'-10')		(11' -12')		(13' -16')	1200
4/4 5.5"-5.9" W1F ASH	486	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	486
4/4 6.0"-6.4" W1F ASH	222	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	222
4/4 6.5" & WDR W1F ASH		(6' - 8')		(9'-10')	2706	(11' -12')		(13' -16')	2706
4/4 4.0"-4.4" UNSL ASH		(6' - 8')		(9'-10')	1713	(11' -12')		(13' -16')	1713
4/4 4.5"-4.9" UNSL ASH	482	(6' - 8')	1014	(9'-10')	620	(11' -12')		(13' -16')	2116
4/4 6.5"-6.9" UNSL ASH	1926	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	1926
4/4 7.0- 7.4" UNSL ASH	279	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	279
4/4 7.5"-8.4" UNSL ASH	2522	(6' - 8')	5253	(9'-10')	2093	(11' -12')		(13' -16')	9868

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
4/4 8.5"-9.4" UNSL ASH	1181	(6' - 8')	930	(9'-10')	445	(11' -12')		(13' -16')	2556
4/4 9.5" & WDR UNSL ASH	763	(6' - 8')	1193	(9'-10')	152	(11' -12')		(13' -16')	2108
8/4 SEL & BTR RED CHERRY		(6' - 8')	2069	(9'-10')	896	(11' -12')	303	(13' -16')	3268
6/4 SEL & BTR CHERRY	1045	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	1045
5/4 SEL & BTR RED CHERRY	3334	(6' - 8')	2010	(9'-10')		(11' -12')	189	(13' -16')	5533
5/4 1 COM. CHERRY	134	(6' - 8')	70	(9'-10')		(11' -12')		(13' -16')	204
4/4 S & B RED CHERRY		(6' - 8')		(9'-10')		(11' -12')	385	(13' -16')	385
4/4 S & B 6.5"-7.4" RED CHERRY	892	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	892
4/4 S & B 90/50 8.0"-10.9" CHERRY		(6' - 8')	4366	(9'-10')		(11' -12')		(13' -16')	4366
4/4 S & B 90/50 11.5"&WDR CHERRY	640	(6' - 8')	1182	(9'-10')		(11' -12')		(13' -16')	1822
4/4 4.5" & WDR R1F CHERRY		(6' - 8')		(9'-10')		(11' -12')	2005	(13' -16')	2005
4/4 8.0" -10.4" R1F CHERRY	904	(6' - 8')	1085	(9'-10')		(11' -12')		(13' -16')	1989
4/4 9.5" & WDR R1F CHERRY	827	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	827
6/4 SEL & BTR RED OAK		(6' - 8')		(9'-10')	1335	(11' -12')		(13' -16')	1335
5/4 SEL & BTR, RED OAK	3912	(6' - 8')		(9'-10')	1548	(11' -12')		(13' -16')	5460
4/4 SEL & BTR RED OAK		(6' - 8')	199	(9'-10')		(11' -12')		(13' -16')	199
4/4 S & B 4.0" - 4.4" RED OAK		(6' - 8')	175	(9'-10')		(11' -12')		(13' -16')	175
4/4 S & B 4.5" - 4.9" RED OAK	315	(6' - 8')	647	(9'-10')	97	(11' -12')		(13' -16')	1059
4/4 S & B 4.5" & WDR RED OAK		(6' - 8')		(9'-10')		(11' -12')	1489	(13' -16')	1489
4/4 S & B 5.0" - 5.4" RED OAK		(6' - 8')	992	(9'-10')	652	(11' -12')		(13' -16')	1644
4/4 S & B 5.5" - 6.4" RED OAK		(6' - 8')	488	(9'-10')		(11' -12')		(13' -16')	488
4/4 S & B 6.0" - 6.4" RED OAK		(6' - 8')	905	(9'-10')	474	(11' -12')		(13' -16')	1379
4/4 S & B 6.5" - 7.4" RED OAK		(6' - 8')	1902	(9'-10')	761	(11' -12')		(13' -16')	2663
4/4 S & B 8.5" - 9.9" RED OAK		(6' - 8')		(9'-10')	1057	(11' -12')		(13' -16')	1057
4/4 1 COM, RED OAK	147926	(6' - 8')	41355	(9'-10')	2560	(11' -12')	2709	(13' -16')	194550
4/4 1 COM, DRESSED RED OAK	217	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	217
4/4 1 COM, 5.5"-6.4" RED OAK		(6' - 8')	22404	(9'-10')		(11' -12')		(13' -16')	22404
4/4 1C, 2C, 3C RED OAK		(6' - 8')		(9'-10')		(11' -12')	267	(13' -16')	267

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
8/4 S & B, WALNUT	2209	(6' - 8')	3000	(9'-10')	4199	(11' -12')	2589	(13' -16')	11997
8/4 1 COM. WALNUT	121	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	121
6/4 SEL & BTR WALNUT	1158	(6' - 8')	1195	(9'-10')		(11' -12')		(13' -16')	2353
4/4 S & B, 4.0" -4.4" WALNUT	467	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	467
4/4 S & B, 4.5" -4.9" WALNUT	783	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	783
4/4 S & B, 4.5" & WDR WALNUT		(6' - 8')		(9'-10')		(11' -12')	964	(13' -16')	964
4/4 S & B, 5.5" - 5.9" WALNUT	15868	(6' - 8')	2011	(9'-10')	1012	(11' -12')		(13' -16')	18891
4/4 S & B, 6.0" - 6.4" WALNUT	2851	(6' - 8')	1093	(9'-10')	753	(11' -12')		(13' -16')	4697
4/4 S & B, 7.0"-7.4" WALNUT		(6' - 8')		(9'-10')	438	(11' -12')		(13' -16')	438
4/4 S & B, 7.5"-7.9" WALNUT		(6' - 8')	770	(9'-10')		(11' -12')		(13' -16')	770
4/4 S & B, 8.0"-8.4" WALNUT	279	(6' - 8')		(9'-10')	290	(11' -12')		(13' -16')	569
4/4 # 1 COMMON WALNUT		(6' - 8')		(9'-10')		(11' -12')	6434	(13' -16')	6434
4/4 1C 4.0"-4.4" WALNUT	592	(6' - 8')	273	(9'-10')	75	(11' -12')		(13' -16')	940
4/4 1C 4.5"-4.9" WALNUT		(6' - 8')		(9'-10')	223	(11' -12')		(13' -16')	223
4/4 1C 5.0"-5.4" WALNUT	305	(6' - 8')		(9'-10')	349	(11' -12')		(13' -16')	654
4/4 1C 9.5" & WDR WALNUT	1283	(6' - 8')	498	(9'-10')		(11' -12')		(13' -16')	1781
4/4 2C 4.5"-4.9" WALNUT	1845	(6' - 8')	1442	(9'-10')	340	(11' -12')		(13' -16')	3627
4/4 2C 5.0"-5.4" WALNUT	1963	(6' - 8')	1265	(9'-10')	357	(11' -12')		(13' -16')	3585
4/4 2C 5.5"-6.0" WALNUT	1981	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	1981
4/4 2 COM. WALNUT	620	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	620
4/4 2 COM/3 COM. WALNUT		(6' - 8')		(9'-10')		(11' -12')	1597	(13' -16')	1597
4/4 3 COM. WALNUT	2384	(6' - 8')	3088	(9'-10')	1101	(11' -12')		(13' -16')	6573
12/4 SEL & BTR WHAD SOFT MAPLE	1030	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	1030
12/4 2C & BTR WHND SOFT MAPLE	894	(6' - 8')		(9'-10')		(11' -12')		(13' -16')	894
8/4 S & B WHAD SOFT MAPLE	1098	(6' - 8')	1452	(9'-10')		(11' -12')	1191	(13' -16')	3741
8/4 1C/BTR WHND SOFT MAPLE	5771	(6' - 8')	1577	(9'-10')	4421	(11' -12')		(13' -16')	11769
8/4 1 COM. WHAD SOFT MAPLE	221	(6' - 8')		(9'-10')	1516	(11' -12')		(13' -16')	1737
6/4 S & B WHAD SOFT MAPLE	853	(6' - 8')	1466	(9'-10')	1556	(11' -12')	852	(13' -16')	4727

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
4/4 S & B WHAD SOFT MAPLE	1953	(6' - 8')		(9'-10')	1490	(11' -12')	871	(13' -16')	4314
4/4 S & B CURLY SOFT MAPLE		(6' - 8')	503	(9'-10')		(11' -12')		(13' -16')	503
4/4 S & B WHAD DRESSED 15/16 SOFT MAPLE		(6' - 8')	335	(9'-10')		(11' -12')		(13' -16')	335
4/4 2C & BTR WHND SOFT MAPLE		(6' - 8')		(9'-10')		(11' -12')	3088	(13' -16')	3088
4/4 1C WHAD SOFT MAPLE	1022	(6' - 8')		(9'-10')		(11' -12')	902	(13' -16')	1924
4/4 SEL & BTR RIFT WHITE OAK	4025	(6' - 8')	4623	(9'-10')	2597	(11' -12')	985	(13' -16')	12230
4/4 SEL & BTR QTR-SAWN WHITE OAK	2735	(6' - 8')	3844	(9'-10')	3741	(11' -12')	1349	(13' -16')	11669
4/4 SEL & BTR WHITE OAK	1401	(6' - 8')	813	(9'-10')	617	(11' -12')		(13' -16')	2831
4/4 1 COM WHITE OAK	541	(6' - 8')	296	(9'-10')	816	(11' -12')		(13' -16')	1653
4/4 2 COM WHITE OAK	1068	(6' - 8')		(9'-10')	188	(11' -12')		(13' -16')	1256
4/4 2 COM 5.0" - 6.0" WHITE OAK	9602	(6' - 8')		(9'-10')	4182	(11' -12')		(13' -16')	13784
4/4 2 COM 7.0" & WDR WHITE OAK	10096	(6' - 8')	10957	(9'-10')	4224	(11' -12')		(13' -16')	25277
4/4 2 COM / 3 COM WHITE OAK	290	(6' - 8')		(9'-10')	122	(11' -12')		(13' -16')	412
4/4 S & B STEAMED BEECH	301	(6' - 8')	1166	(9'-10')	573	(11' -12')		(13' -16')	2040
4/4 SEL & BTR HICKORY	915	(6' - 8')	1377	(9'-10')	2479	(11' -12')	2032	(13' -16')	6803
4/4 SEL & BTR 5.0" - 5.4" HICKORY		(6' - 8')		(9'-10')		(11' -12')	322	(13' -16')	322
4/4 SEL & BTR 5.0" & WDR HICKORY		(6' - 8')		(9'-10')		(11' -12')	1134	(13' -16')	1134
4/4 S & B 6.5"-8.4" HICKORY	648	(6' - 8')	862	(9'-10')		(11' -12')		(13' -16')	1510
4/4 S & B 7.5" & WDR HICKORY	616	(6' - 8')	1828	(9'-10')	3175	(11' -12')	1773	(13' -16')	7392
4/4 SEL & BTR BIRCH		(6' - 8')	1315	(9'-10')		(11' -12')		(13' -16')	1315
8/4 1C & BTR SYCAMORE	3415	(6' - 8')	7765	(9'-10')		(11' -12')		(13' -16')	11180