



Cherry Forest Products

MANUFACTURERS OF HIGH-GRADE LUMBER, VENEER AND DIMENSION
 24 KERR CRESENT, KERR INDUSTRIAL PARK, PUSLINCH, ONTARIO, N0B 2J0
 PH: (519) 763-1466 FAX: (519) 763-7353
 EMAIL: info@cherryforest.ca Website: www.cherryforest.ca

LUMBER INVENTORY UPDATE

April 2, 2012

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL	
4/4 SEL/BTR HARD MAPLE	#1 WHT RW	555	(6'-7')						555	
4/4 SEL/BTR HARD MAPLE	#1 WHT 6.5" - 7.9"	1077	(6'-7')	4004	(8')	1432	(9'-10')		6513	
4/4 SEL/BTR HARD MAPLE	#1-2 WHT RW			902	(6'-8')			2604	(11'-12')	3506
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 3.5" - 3.9"	398	(6'-7')	1682	(8')			443	(11'-12')	2523
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 4.0" - 4.4"	166	(6'-7')	1820	(8')	1511	(9'-10')	434	(11'-12')	3931
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 4.5" - 4.9"	498	(6'-7')	1869	(8')	379	(9'-10')		2746	
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 4.0" - 5.4"					Dressed 15/16"				1140
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 5.0" - 5.4"	618	(6'-7')	2102	(8')					2720
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 5.5" - 6.4"					1251	(9'-10')			1251
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 7.5" - 8.4"							1412	(11'-12')	1412
4/4 SEL/BTR HARD MAPLE	#1-2 WHT 10.5" & WDR	29	(7')	184	(8')	747	(9'-10')	508	(11'-12')	1468
4/4 SEL/BTR HARD MAPLE	SAP RW			116	(8')	265	(9'-10')	311	(11'-12')	692
4/4 SEL/BTR HARD MAPLE	S2W 6.5" - 7.9"			922	(8')	918	(9'-10')			1840
4/4 SEL/BTR HARD MAPLE	BROWN RW			Dressed 15/16"		Dressed 15/16"				4043
		775	(7'-8')	2933	(9'-10')	335	(11'-12')			

4/4 # 1COM HARD MAPLE	#1 WHT 4.5" - 5.4"			1461	(4'-8')					1461
4/4 # 1COM HARD MAPLE	#1 WHT 6.5" - 7.4"							2134	(11'-12')	2134
4/4 # 1COM HARD MAPLE	#1 WHT 7.5" - 8.4"			449	(4'-8')	563	(9'-10')	793	(11'-12')	1805

5/4 SEL/BTR HARD MAPLE	#1-2 WHT RW	92	(7')			985	(9'-10')			1077
5/4 # 2COM HARD MAPLE	SAP/BTR RW			205	(8')	303	(9'-10')			508

6/4 SEL/BTR HARD MAPLE	#1 WHT RW					6947	(9'-10')	2368	(11'-12')	9315
6/4 SEL/BTR HARD MAPLE	#1-2 WHT RW			Dressed 1-7/16"		693	(8')			693
6/4 # 2COM HARD MAPLE	SAP/BTR RW			167	(7'-8')	408	(9'-10')			575

8/4 SEL/BTR HARD MAPLE	#1 WHT RW			3064	(8')	3558	(9'-10')			6622		
8/4 SEL/BTR HARD MAPLE	#1-2 WHT RW			6038	(8')	4684	(9'-10')	5777	(11'-12')	973	(13'-14')	17472
8/4 SEL/BTR HARD MAPLE	#1WT "Stain" RW			6.5-7.4" (1-15/16")		122	(8')			122		
8/4 # 2COM HARD MAPLE	SAP/BTR RW					113	(9'-10')	83	(11'-12')	196		



Cherry Forest Products

MANUFACTURERS OF HIGH-GRADE LUMBER, VENEER AND DIMENSION
 24 KERR CRESENT, KERR INDUSTRIAL PARK, PUSLINCH, ONTARIO, N0B 2J0
 PH: (519) 763-1466 FAX: (519) 763-7353
 EMAIL: info@cherryforest.ca Website: www.cherryforest.ca

LUMBER INVENTORY UPDATE

April 2, 2012

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
4/4 SEL/BTR SOFT MAPLE	5.0" - 5.5"										
4/4 SEL/BTR SOFT MAPLE	8.0" - 8.5"										
4/4 SEL/BTR SOFT MAPLE	WHAD RW										
4/4 # 1COM SOFT MAPLE	WHAD RW										
4/4 # 1C/BTR SOFT MAPLE	WORMY RW										
4/4 # 2COM SOFT MAPLE	OUTS RW										

5/4 SEL/BTR SOFT MAPLE	CURLY RW										
5/4 SEL/BTR SOFT MAPLE	WHAD RW										
5/4 # 1 COM SOFT MAPLE	WHAD RW										
5/4 # 2C/BTR SOFT MAPLE	WORMY RW										

6/4 SEL/BTR SOFT MAPLE	CURLY RW										
6/4 SEL/BTR SOFT MAPLE	WHAD RW				591	(9'-10')					591
6/4 # 1COM SOFT MAPLE	WHAD RW										
6/4 # 1C/BTR SOFT MAPLE	WORMY RW				Dressed 1-7/16"						
					158	(11'-12')	3076	(11'-12')	939	(13'-16')	4173

8/4 SEL/BTR SOFT MAPLE	WHAD S2S RW		Dressed 1-7/8"		Dressed 1-7/8"		Dressed 1-7/8"					
			3213	(6-8')	3330	(9'-10')	1709	(11'-12')			8252	
8/4 SEL/BTR SOFT MAPLE	WHAD RW		982	(6'-8')							982	
8/4 # 1COM SOFT MAPLE	WHAD S2S RW		3449	(4'-8')	Dressed 1-7/8"		Dressed 1-7/8"					
					3324	(9'-10')	5021	(11'-12')			11794	
8/4 # 1/BTR SOFT MAPLE	WORMY RW		2655	(8')	1177	(9'-10')	3799	(11'-12')			7631	
8/4 #2/BTR SOFT MAPLE	WORMY S2S RW	Dressed 1-3/4"	Dressed 1-7/8"		Dressed 1-7/8"		Dressed 1-7/8"		Dressed 1-7/8"			
		765	(4'-8')	5083	(4'-8')	13841	(9'-10')	11749	(11'-12')	865	(13'-15')	32303

10/4 SEL/BTR SOFT MAPLE	WHAD RW										
10/4 #1/BTR SOFT MAPLE	WORMY RW										

12/4 SEL/BTR SOFT MAPLE	WHAD RW										
12/4 # 1COM SOFT MAPLE	WHAD S2S RW		S2S 2-3/4"				S2S 2-3/4"				
			997	(8')			1418	(11'-12')			2415
12/4 #1/BTR SOFT MAPLE	WORMY S2S RW		S2S 2-3/4"		S2S 2-3/4"		S2S 2-3/4"				
			1907	(8')	1133	(9'-10')	1429	(11'-12')			4469



Cherry Forest Products

MANUFACTURERS OF HIGH-GRADE LUMBER, VENEER AND DIMENSION
 24 KERR CRESENT, KERR INDUSTRIAL PARK, PUSLINCH, ONTARIO, N0B 2J0
 PH: (519) 763-1466 FAX: (519) 763-7353
 EMAIL: info@cherryforest.ca Website: www.cherryforest.ca

LUMBER INVENTORY UPDATE

April 2, 2012

SPECIES		FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
4/4 SEL/BTR	W1F									
ASH	7.5" & WDR					1274	(9'-10')			1274
4/4 SEL/BTR	W1F									
ASH	9.5" & WDR					3700	(11'-12')			3700
4/4 SEL/BTR	BROWN									
ASH	3.5" - 4.4"					329	(11'-12')			329
4/4 SEL/BTR	BROWN									
ASH	3.75" - 4.9"	176	(7')	503	(8')	3124	(9'-10')			3803
4/4 SEL/BTR	BROWN									
ASH	9.5" & WDR					1760	(11'-12')			1760
4/4 #1 COM	BROWN									
ASH	6.5" - 7.4"	677	(6')	4440	(7'-8')	7225	(9'-10')			12342
4/4 OUTS	UNSELECTED									
ASH	RW					1242	(9'-10')			1242

4/4 SEL/BTR	R1F (90/50)	330	(6')	1599	(6-7')			519	(13'-14')	
CHERRY	RW	11468	(6'-7')	471	(8')			207	(15'-16')	14594
4/4 SEL/BTR	R1F (90/50)					814	(9'-10')			814
CHERRY	5.5" - 5.9"									
4/4 SEL/BTR	RED 2 FACE					233	(9'-10')			233
CHERRY	4.5" - 5.4"									
4/4 SEL/BTR	RED 2 FACE			557	(7'-8')					557
CHERRY	5.5" - 5.9"									
4/4 SEL/BTR	RED 2 FACE	145	(7')	952	(7'-8')	799	(9'-10')			1896
CHERRY	6.0" - 6.4"									
4/4 SEL/BTR	RED 2 FACE	318	(6'-7')							318
CHERRY	6.5" - 8.4"									
4/4 SEL/BTR	RED 2 FACE			1022	(7'-8')	1074	(9'-10')			2096
CHERRY	6.5" - 7.4"									
4/4 SEL/BTR	RED 2 FACE			413	(7'-8')					413
CHERRY	7.5" - 8.4"									
4/4 SEL/BTR	RED 2 FACE			587	(7'-8')	639	(9'-10')	1040	(11'-12')	2266
CHERRY	8.5" & WDR									
4/4 SEL/BTR	R1F (90/50)					426	(9'-10')			426
CHERRY	7.5" - 8.4"									
4/4 SEL/BTR	SAPPY					1939	(9'-10')			1939
CHERRY	RW									
4/4 #1 COM	RED 2 FACE			959	(8')	1153	(9'-10')	603	(11'-12')	2715
CHERRY	RW									
4/4 #2 COM	UNSEL			912	(4'-8')					912
CHERRY	RW									
4/4 #2 COM	SAPPY			6740	(7'-8')					6740
CHERRY	RW									

5/4 SEL/BTR	RED			855	(7'-8')	977	(9'-10')	476	(11'-12')	2308
CHERRY	RW									
5/4 SEL/BTR	UNSEL					587	(9'-10')	179	(11'-12')	766
CHERRY	RW									

6/4 SEL/BTR	RED			997	(6'-8')	675	(9'-10')			1672
CHERRY	RW									

8/4 SEL/BTR	RED			553	(7'-8')	1745	(9'-10')	685	(11'-12')	2983
CHERRY	RW									
8/4 SEL/BTR	UNSEL					109	(9'-10')	339	(11'-12')	448
CHERRY	RW									
8/4 SEL/BTR	SAPPY					1526	(9'-10')			1526
CHERRY	RW									



Cherry Forest Products

MANUFACTURERS OF HIGH-GRADE LUMBER, VENEER AND DIMENSION
 24 KERR CRESENT, KERR INDUSTRIAL PARK, PUSLINCH, ONTARIO, N0B 2J0
 PH: (519) 763-1466 FAX: (519) 763-7353
 EMAIL: info@cherryforest.ca Website: www.cherryforest.ca

LUMBER INVENTORY UPDATE

April 2, 2012

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL
4/4 SEL/BTR HICKORY	HEARTWD RW		2373	(6'-8')	4314	(9'-10')	571	(11'-12')	7258
4/4 SEL/BTR HICKORY	UNSEL 6.5" - 7.4"		2541	(6'-8')	5117	(9'-10')	2702	(11'-12')	10360
4/4 SEL/BTR HICKORY	UNSEL 7.5" - 8.9"		1720	(6'-8')	3499	(9'-10')	2230	(11'-12')	7449
4/4 #1 COM HICKORY	3.0" - 3.9"						120	(13'-16')	120
4/4 #1COM HICKORY	6.5" - 7.4"			2052	(9'-10')	1438	(11'-12')	2439 (13'-16')	5929
4/4 #2/3 COM HICKORY	RW		627	(6'-8')	1015	(9'-10')			1642
5/4 SEL/BTR HICKORY	RW		146	(7'-8')	1208	(9'-10')	374	(11'-12')	1728

4/4 SEL/BTR BIRCH	SAP/BTR RW		1241	(8'-10')	562 (9')	875 (10')			2116
----------------------	---------------	--	------	----------	----------	-----------	--	--	------

4/4 SEL/BTR RED OAK	RW	528 (6')				1639 (11'-12')	572 (13'-16')	2739
4/4 SEL/BTR RED OAK	7.0" - 9.4"		2806 (8')	3713 (9'-10')				6519
4/4 SEL/BTR RED OAK	7.5" - 9.4"			538 (9'-10')				538
4/4 SEL/BTR RED OAK	10" & WDR					254 (11'-12')		254
4/4 # 2COM RED OAK	RW		5705 (6'-8')	6876 (9-10')				12581
4/4 # 3COM RED OAK	RW			1881 (9'-10')				1881

5/4 SEL/BTR RED OAK	10" & WIDER					942 (11'-12')		942
5/4 SEL/BTR RED OAK	RW	4296 (6')	874 (7')	2551 (9')	2171 (9-10' s2s)		2257 (13'-16')	25173
		122 (6')	3096 (8')	9806 (9-10')				

6/4 SEL/BTR RED OAK	RW	1622 (7'-8')	967 (8')	417 (9')		2269 (9'-10')		5275
------------------------	----	--------------	----------	----------	--	---------------	--	------

8/4 SEL/BTR RED OAK	RW	744 (6'-7')	4019 (8')	1802 (9')	1235 (10')			7800
------------------------	----	-------------	-----------	-----------	------------	--	--	------

10/4 SEL/BTR RED OAK	RW	690 (7')						690
-------------------------	----	----------	--	--	--	--	--	-----

4/4 SEL/BTR WHITE OAK	QTR'D RW	822 (6'-7')	1957 (8')	7648 (9'-10')	4175 (11'-12')	3439 (13'-16')		18041
--------------------------	-------------	-------------	-----------	---------------	----------------	----------------	--	-------

4/4 SEL/BTR WHITE OAK	RIFT RW	97 (7')	1391 (7'-8')	5385 (9'-10')	1824 (11'-12')	568 (13'-14')	605 (15'-16')	9870
4/4 SEL/BTR WHITE OAK	RIFT 3.5" - 5.9"					1265 (13'-16')		1265



Cherry Forest Products

MANUFACTURERS OF HIGH-GRADE LUMBER, VENEER AND DIMENSION
 24 KERR CRESENT, KERR INDUSTRIAL PARK, PUSLINCH, ONTARIO, N0B 2J0
 PH: (519) 763-1466 FAX: (519) 763-7353
 EMAIL: info@cherryforest.ca Website: www.cherryforest.ca

LUMBER INVENTORY UPDATE

April 2, 2012

SPECIES	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	FBM	LENGTH	TOTAL	
4/4 SEL/BTR WALNUT RW			885	(6'-8')					612	(13'-14')	2392 (15'-16')	3889
4/4 SEL/BTR WALNUT 4.0" - 4.4"			1667	(6'-8')								1667
4/4 SEL/BTR WALNUT 4.5" - 4.9"	791	(6')	609	(7')	3063	(7'-8')						4463
4/4 SEL/BTR WALNUT 5.0" - 5.4"	717	(6')	3546	(7'-8')	116	(9'-10')	4902	(11'-12')				9281
4/4 SEL/BTR WALNUT 5.5" - 5.9"			1968	(7'-8')								1968
4/4 SEL/BTR WALNUT 6.0" - 6.4"	2250	(6'-7')										2250
4/4 SEL/BTR WALNUT 6.5" - 7.9"	4342	(6')	7068	(7')	7989	(8')						19399
4/4 SEL/BTR WALNUT 8.0" &WDR	2878	(6')	5665	(7')	6585	(8')						15128
4/4 SEL/BTR WALNUT 9.5" & WDR			930	(6'-8')								930

5/4 SEL/BTR WALNUT RW			620	(8')								620	
6/4 SEL/BTR WALNUT (90/80 Heart) RW					900	(9')						928 (10')	1828
6/4 SEL/BTR WALNUT RW					950	(9'-10')						950	
8/4 SEL/BTR WALNUT 10.5" & WDR							660	(11'-12')				660	
8/4 SEL/BTR WALNUT RW	6039	(6')	3814	(7')	3113	(8')			2177	(11'-12')	1416	(13'-14')	16559
8/4 # 1COM WALNUT RW			1135	(5'-8')	801	(9'-10')					#2 COM 594	(6'-10')	2530

4/4 # 1COM WALNUT RW	548	(4'-5')							1099	(13'-14')	1282	(15'-16')	2929
4/4 # 1COM WALNUT 3.5" - 3.9"			899	(6'-8')	189	(9'-10')	210	(11'-12')					1298
4/4 # 1COM WALNUT 4.5" - 4.9"			1951	(6'-8')	1399	(9'-10')							3350
4/4 # 1COM WALNUT 4.5" - 5.4"							460	(11'-12')					460
4/4 # 1COM WALNUT 5.0" - 5.4"			7985	(6'-8')	1278	(9'-10')							9263
4/4 # 1COM WALNUT 5.5" - 6.4"			10216	(6'-8')	2356	(9'-10')	1624	(11'-12')					14196
4/4 # 1COM WALNUT 6.5" - 7.4"			12514	(6'-8')	2157	(9'-10')	2755	(11'-12')					17426
4/4 # 1COM WALNUT 7.5" - 8.4"			7564	(6'-8')	449	(9'-10')	3381	(11'-12')					11394
4/4 # 1COM WALNUT 8.5" - 9.4"			617	(6'-8')	679	(9'-10')	434	(11'-12')					1730
4/4 # 1COM WALNUT 9.5" &WDR			3529	(6'-8')	1175	(9'-10')	1632	(11'-12')	525	(13'-14')			6861

4/4 # 2COM WALNUT 4.5" - 4.9"					1333	(9'-10')							1333
-------------------------------	--	--	--	--	------	----------	--	--	--	--	--	--	------